1 Identification

- · Product identifier
- · Trade name: 03026,03106,03156 Color Horizons Candy Concentrates
- · Article number: 03026, 03106, 03156
- · Application of the substance / the mixture Coating
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: SEM Products Inc. 1685 Overview Drive

1685 Overview Drive Rock Hill, SC 29730 803 207 8225

· Information department:

cust_care@semproducts.com : SEM Products,Inc. 1685 Overview Dr. Rock Hill, SC 29730 : phone 1-800-831-1122, M - TH 7am - 4pm EDT

· Emergency telephone number: CHEMTREC 1-800-424-9300

2 Hazard identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids - Category 2 H225 Highly flammable liquid and vapour.



GHS08 Health hazard

Reproductive Toxicity - Category 2 H361 Suspected of damaging fertility or the

unborn child.

Specific Target Organ Toxicity - Repeated Exposure - H372-H373 Causes damage to organs through Category 1 prolonged or repeated exposure. May

prolonged or repeated exposure. May cause damage to the central nervous system through prolonged or repeated

exposure.



Eye Irritation - Category 2A H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure - H336 May cause drowsiness or dizziness.

Category 3

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS07

GHS08

(Contd. on page 2)

Trade name: 03026,03106,03156 Color Horizons Candy Concentrates

(Contd. of page 1)

· Signal word Danger

· Hazard-determining components of labeling:

n-butyl acetate

toluene

Solvent naphtha (petroleum), medium aliph.

butanone

· Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H336 May cause drowsiness or dizziness.

H372-H373 Causes damage to organs through prolonged or repeated exposure. May cause damage to the central nervous system through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use. P201

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P240 Ground and bond container and receiving equipment.

P241 *Use explosion-proof [electrical/ventilating/lighting] equipment.*

P242 Use non-sparking tools.

P243 Take actions to prevent static discharges.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P312 Call a poison center/doctor if you feel unwell. P314 Get medical advice/attention if you feel unwell. P337+P313 If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray. P370+P378 P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2Fire = 3Reactivity = 0

(Contd. on page 3)

Trade name: 03026,03106,03156 Color Horizons Candy Concentrates

(Contd. of page 2)

· HMIS-ratings (scale 0 - 4)

HEALTH 2 Health = 2FIRE 3 Fire = 3REACTIVITY 0 Reactivity = 0

3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Mixture: consisting of the following components.

Weight percentages

· Dangerous	components:		
123-86-4 n-butyl acetate 30-6			
78-93-3 butanone			
64742-88-7 Solvent naphtha (petroleum), medium aliph.			
108-65-6 2-methoxy-1-methylethyl acetate		1-5% w/w	
108-88-3	toluene	1-5% w/w	
	Red Colorant		
64742-95-6	Solvent naphtha (petroleum), light arom.	0.5-1.5% w/w	

4 First aid measures

- · Description of first aid measures
- $\cdot \textit{After inhalation: Supply fresh air; consult doctor in case of complaints.}$
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot \textit{Indication of any immediate medical attention and special treatment needed}$

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

CA

Trade name: 03026,03106,03156 Color Horizons Candy Concentrates

(Contd. of page 3)

*

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

*

7 Handling and storage

- · Handling:
- · Precautions for safe handling

No special measures required.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

*

8 Exposure controls/Personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

123-86-4 n-butyl acetate

EL Long-term value: 20 ppm

EV Short-term value: 950 mg/m³, 200 ppm Long-term value: 710 mg/m³, 150 ppm

78-93-3 butanone

EL Short-term value: 100 ppm

Long-term value: 50 ppm

EV Short-term value: 885 mg/m³, 300 ppm Long-term value: 590 mg/m³, 200 ppm

(Contd. on page 5)



Trade name: 03026,03106,03156 Color Horizons Candy Concentrates

(Contd. of page 4)

108-65-6 2-methoxy-1-methylethyl acetate

EL Short-term value: 75 ppm Long-term value: 50 ppm

EV Long-term value: 270 mg/m³, 50 ppm

108-88-3 toluene

EL Long-term value: 20 ppm

EV Long-term value: 20 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

CA

Trade name: 03026,03106,03156 Color Horizons Candy Concentrates

(Contd. of page 5)

9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: According to product specification Characteristic · Odor: · Odor threshold: Not determined. Not determined. · pH-value: · Change in condition *Melting point/Melting range:* Undetermined. Boiling point/Boiling range: 79 °C -4 °C · Flash point: · Flammability (solid, gaseous): Not applicable. 265 °C · Ignition temperature: · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. In use, may form flammable/explosive vapour-air mixture. · Danger of explosion: · Explosion limits: Lower: 1.2 Vol % 11.5 Vol % Upper: · Vapor pressure at 20 °C: 105 hPa · Density at 20 °C: $0.89 \ g/cm^3$ · Relative density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Water: Not miscible or difficult to mix. · Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. · Solvent content: Organic solvents: 92.0 % **VOC** content: 92.03 % 819.1 g/l / 6.84 lb/gl

10 Stability and reactivity

Solids content:

· Other information

· Reactivity No further relevant information available.

8.0 %

No further relevant information available.

(Contd. on page 7)

Trade name: 03026,03106,03156 Color Horizons Candy Concentrates

(Contd. of page 6)

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

64742-88-7 Solvent naphtha (petroleum), medium aliph.

Oral	LD50	>6,500 mg/kg (rat)
	LD50	>3,000 mg/kg (rab)
Inhalative	LC50/4 h	>14 mg/l (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (Inte	ernational Agency for Research on Cancer)	
108-88-3	toluene	3
1333-86-4	Carbon black	2 <i>B</i>
1330-20-7	xylene	3
98-82-8	cumene	2B
· NTP (Nati	onal Toxicology Program)	
98-82-8 сі	ımene	R

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 8)

Trade name: 03026,03106,03156 Color Horizons Candy Concentrates

(Contd. of page 7)

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

1 4 70		C	
14 rav	isnort in	iformation	П
I I I I WI	יוט עוט ענט		u

1	71	J_	N	11	m	h	214

· DOT, TDG, IMDG, IATA UN1263

· UN proper shipping name

 \cdot **DOT** Paint

• TDG 1263 Paint, special provision 640D

· **IMDG**, **IATA** PAINT

· Transport hazard class(es)

 $\cdot DOT$



· Class 3 Flammable liquids

· Label

· TDG, IMDG, IATA



· Class 3 Flammable liquids

• **Label** 3

· Packing group

· DOT, TDG, IMDG, IATA II

· Environmental hazards:

· Marine pollutant: No

· Special precautions for user Warning: Flammable liquids

· EMS Number: F-E,S-E · Stowage Category B

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

(Contd. on page 9)

Reviewed on 06/20/2017 Printing date 03/21/2018

Trade name: 03026,03106,03156 Color Horizons Candy Concentrates

	(Contd. of page
Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· TDG	
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 1263 PAINT, SPECIAL PROVISION 640D, 3, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

 $\cdot \textit{Sara}$

· Section 35:	· Section 355 (extremely hazardous substances):				
None of the	None of the ingredient is listed.				
· Section 31.	3 (Specific toxic chemical listings):				
<i>78-93-3</i>	butanone				
108-88-3	toluene				
	Red Colorant				
95-63-6	1,2,4-trimethylbenzene				
1330-20-7	xylene				
98-82-8	cumene				
· TSCA (Tox	cic Substances Control Act):				
123-86-4	n-butyl acetate				
78-93-3	B butanone				
64742-88-7	Solvent naphtha (petroleum), medium aliph.				
9004-36-8	Cellulose Acetate Butyrate				
108-65-6	2-methoxy-1-methylethyl acetate				
108-88-3	toluene				
1333-86-4	Carbon black				
95-63-6	1,2,4-trimethylbenzene				
108-67-8	mesitylene mesitylene				
1330-20-7	xylene				
98-82-8	cumene				
	(Contd. on page 10)				

Trade name: 03026,03106,03156 Color Horizons Candy Concentrates

(Contd. of page 9)

· Canadian substance listings:					
· Canadian I	· Canadian Domestic Substances List (DSL)				
123-86-4	n-butyl acetate				
78-93-3	butanone				
64742-88-7	Solvent naphtha (petroleum), medium aliph.				
108-65-6	2-methoxy-1-methylethyl acetate				
108-88-3	toluene				
1333-86-4 Carbon black					
95-63-6	1,2,4-trimethylbenzene				
108-67-8	mesitylene				
1330-20-7	xylene				
98-82-8	cumene				
· Canadian I	· Canadian Ingredient Disclosure list (limit 0.1%)				
95-63-6 1	,2,4-trimethylbenzene				
108-67-8 n	108-67-8 mesitylene				
· Canadian I	· Canadian Ingredient Disclosure list (limit 1%)				
123-86-4 n	123-86-4 n-butyl acetate				
78-93-3 b	utanone				
108-88-3 to	108-88-3 toluene				

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

n-butyl acetate

toluene

Solvent naphtha (petroleum), medium aliph.

butanone

· Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H336 May cause drowsiness or dizziness.

H372-H373 Causes damage to organs through prolonged or repeated exposure. May cause damage to the central nervous system through prolonged or repeated exposure.

· Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P240 Ground and bond container and receiving equipment.

P241 *Use explosion-proof [electrical/ventilating/lighting] equipment.*

(Contd. on page 11)

Trade name: 03026,03106,03156 Color Horizons Candy Concentrates

	(Contd. of page 10)
P242	Use non-sparking tools.
P243	Take actions to prevent static discharges.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
	[or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	BIF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a poison center/doctor if you feel unwell.
P314	Get medical advice/attention if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

- · Contact: Rita Joiner (rjoiner@semproducts.com)
- · Date of preparation / last revision 03/21/2018 / 7
- · Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

* * Data compared to the previous version altered.