1 Identification

- · Product identifier
- · Trade name: 16015-16808 Sure Coat (non-aluminum colors)
- · Article number:

16015, 16018, 16505, 16508, 16515, 16518, 16525, 16528, 16535, 16538, 16545, 16548, 16565, 16568, 16578, 16585, 16588, 16595, 16598, 16705, 16708, 16715, 16718, 16725, 16728

- · Application of the substance / the mixture Coating
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SEM Products Inc. 1685 Overview Drive Rock Hill, SC 29730 803 207 8225

· Information department:

cust_care@semproducts.com : SEM Products,Inc. 1685 Overview Dr. Rock Hill, SC 29730 : phone 1-800-831-1122, M - TH 7am - 4pm EDT

· Emergency telephone number: CHEMTREC 1-800-424-9300

2 Hazard identification

· Classification of the substance or mixture



GHS07

Skin Irritation - Category 2

H315 Causes skin irritation.

Eye Irritation - Category 2A

H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure -

H335 May cause respiratory irritation.

Category 3

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

URETHANE POLYMER

Tetraethylene Glycol Di 2-ethylhexoate

Methyl glycol

Dipropylene glycol n-butyl ether

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

(Contd. on page 2)

Trade name: 16015-16808 Sure Coat (non-aluminum colors)

(Contd. of page 1)

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 2
FIRE 1

Health = 2Fire = 1

REACTIVITY 0 Reactivity = 0

3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Mixture: consisting of the following components.

Weight percentages

· Dangerous components:		
	URETHANE POLYMER	10-30% w/w
18268-70-7	Tetraethylene Glycol Di 2-ethylhexoate	1-5% w/w
107-98-2	1-methoxy-2-propanol	1-5% w/w
57-55-6	Methyl glycol	0.5-1.5% w/w
29911-28-2	Dipropylene glycol n-butyl ether	0.5-1.5% w/w

4 First aid measures

- · Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

Trade name: 16015-16808 Sure Coat (non-aluminum colors)

(Contd. of page 2)

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot \textit{Indication of any immediate medical attention and special treatment needed}$

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/Personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

CA -



Trade name: 16015-16808 Sure Coat (non-aluminum colors)

(Contd. of page 3)

· Control parameters

· Components with limit values that require monitoring at the workplace:

107-98-2 1-methoxy-2-propanol

EL Short-term value: 75 ppm

Long-term value: 50 ppm

EV Short-term value: 550 mg/m³, 150 ppm Long-term value: 365 mg/m³, 100 ppm

57-55-6 Methyl glycol

EV Long-term value: 155* 10** mg/m³, 50* ppm *vapour and aerosol; **aerosol only

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Trade name: 16015-16808 Sure Coat (non-aluminum colors)

(Contd. of page 4)

Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C
Flash point:	96 °C
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	270 °C
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
	In use, may form flammable/explosive vapour-air mixture.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C:	23 hPa
Density at 20 °C:	$1.02262 \ g/cm^3$
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	4.9 %
Water:	48.8 %
VOC content:	4.87 %
	99.3 g/l / 0.83 lb/gl
Solids content:	41.5 %
Other information	No further relevant information available.

Trade name: 16015-16808 Sure Coat (non-aluminum colors)

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

1333-86-4 Carbon black

2B

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

CA ·

Trade name: 16015-16808 Sure Coat (non-aluminum colors)

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, TDG, ADN, IMDG, IATA	Void	
DOI, IDG, ADN, IMDG, IATA	voia	
UN proper shipping name DOT, TDG, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, TDG, ADN, IMDG, IATA Class	Void	
Packing group DOT, TDG, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Section 555 (extremely nararaous substances)	355 (extremely hazardous substance	(2
--	------------------------------------	----

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

Acrylic Resin

143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol

· TSCA (Toxic Substances Control Act):

18268-70-7 Tetraethylene Glycol Di 2-ethylhexoate

107-98-2 1-methoxy-2-propanol

57-55-6 Methyl glycol

29911-28-2 Dipropylene glycol n-butyl ether

1333-86-4 Carbon black

(Contd. on page 8)

Trade name: 16015-16808 Sure Coat (non-aluminum colors)

	(Contd. of page 7)
51200-87-4	4,4-dimethyl-1,3-oxizalidine
53320-86-8	CLAY
143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol
8042-47-5	White Mineral oil
124-68-5	2-amino-2-methylpropanol
7732-18-5	water

· Canadian substance listings:

· Canadian Domestic Substances List (DSL)	
18268-70-7	Tetraethylene Glycol Di 2-ethylhexoate
107-98-2	1-methoxy-2-propanol
57-55-6	Methyl glycol
29911-28-2	Dipropylene glycol n-butyl ether
1333-86-4	Carbon black
51200-87-4	4,4-dimethyl-1,3-oxizalidine
169117-72-0	Surfactant
53320-86-8	CLAY
143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol
8042-47-5	White Mineral oil
124-68-5	2-amino-2-methylpropanol
7732-18-5	water

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

57-55-6 Methyl glycol

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling:

URETHANE POLYMER

Tetraethylene Glycol Di 2-ethylhexoate

Methyl glycol

Dipropylene glycol n-butyl ether

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Precautionary statements

P261

Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 9)

Trade name: 16015-16808 Sure Coat (non-aluminum colors)

(Contd. of page 8)

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P321 *Specific treatment (see on this label).*

Take off contaminated clothing and wash it before reuse. P362+P364 If skin irritation occurs: Get medical advice/attention. P332+P313 P337+P313 *If eye irritation persists: Get medical advice/attention.* P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Rita Joiner (rjoiner@semproducts.com)
- · Date of preparation / last revision 03/21/2018 / 20
- · Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

* Data compared to the previous version altered.