1 Identification

- · Product identifier
- · Trade name: 39352,39357 Flexible Urethane Foam
- · Article number: 39352, 39357
- · Application of the substance / the mixture Assembly foam
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: SEM Products Inc. 1685 Overview Drive Rock Hill, SC 29730 803 207 8225
- · Information department:

cust_care@semproducts.com : SEM Products,Inc. 1685 Overview Dr. Rock Hill, SC 29730 : phone 1-800-831-1122, M - TH 7am - 4pm EDT

· Emergency telephone number: CHEMTREC 1-800-424-9300

2 Hazard identification

· Classification of the substance or mixture



GHS08 Health hazard

Respiratory Sensitizer - Category 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carcinogenicity – Category 2 H351 Suspected of causing cancer.

Reproductive Toxicity - Category 2 H361 Suspected of damaging fertility or the unborn

child

Specific Target Organ Toxicity - Repeated Exposure - H373 May cause damage to organs through Category 2 prolonged or repeated exposure.

Cutegory 2



Skin Irritation - Category 2 H315 Causes skin irritation.

Eye Irritation - Category 2A H319 Causes serious eye irritation.

Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.

Specific Target Organ Toxicity - Single Exposure - H335 May cause respiratory irritation.

Category 3

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07 GH

· Signal word Danger

(Contd. on page 2)

Trade name: 39352,39357 Flexible Urethane Foam

(Contd. of page 1)

· Hazard-determining components of labeling:

POLYMERIC MDI

diphenylmethanediisocyanate,isomeres and homologues

4,4'-methylenediphenyl diisocyanate

POLYETHER POLYOL

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling. P264

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P312 Call a poison center/doctor if you feel unwell.

P321 Specific treatment (see on this label).

P314 Get medical advice/attention if you feel unwell.

P362+P364 Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. P333+P313 P337+P313 *If eye irritation persists: Get medical advice/attention.*

If experiencing respiratory symptoms: Call a poison center/doctor. P342+P311 P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Trade name: 39352,39357 Flexible Urethane Foam

(Contd. of page 2)

3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Mixture: consisting of the following components.

Weight percentages

· Dangerous	· Dangerous components:		
	POLYETHER POLYOL	15-40% w/w	
53862-89-8	POLYMERIC MDI	10-30% w/w	
	diphenylmethanediisocyanate,isomeres and homologues	≥10-≤13% w/w	
9049-71-2	POLYETHER POLYOL	≥10-≤13% w/w	
101-68-8	4,4'-methylenediphenyl diisocyanate	10% w/w	
149-57-5	2-ethylhexanoic acid	≥0.1-≤1% w/w	

4 First aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 4)

SEM

Printing date 03/21/2018 Reviewed on 06/20/2017

Trade name: 39352,39357 Flexible Urethane Foam

(Contd. of page 3)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

No special measures required.

Ensure good ventilation/exhaustion at the workplace.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/Personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

101-68-8 4,4'-methylenediphenyl diisocyanate

EL Long-term value: 0.005 ppm

Ceiling limit value: 0.01 ppm

Skin; S(R)

EV Long-term value: 0.005 ppm Ceiling limit value: 0.02 ppm

149-57-5 2-ethylhexanoic acid

EL Long-term value: 5 mg/m³

vapour and inhalable aerosol; R

EV Long-term value: 5 mg/m³ inhalable, aerosol and vapour

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

Trade name: 39352,39357 Flexible Urethane Foam

(Contd. of page 4)

· Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

O DI	1 1	1		
9 Physical	i ana c	:nemicai	pro	perties

· Information on	hasia physical	and chamical	nranarties
· Intormation on	pasic physical	ana cnemicai	properties

· General Information

· Appearance:

Form: Liquid

Color: According to product specification

Odor: CharacteristicOdor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: 190 °C

· Flash point: 121 °C

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature: 400 °C

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.
In use, may form flammable/explosive vapour-air mixture.

· Explosion limits:

 Lower:
 0.4 Vol %

 Upper:
 0.0 Vol %

(Contd. on page 6)

Trade name: 39352,39357 Flexible Urethane Foam

	(Contd.	of page
· Vapor pressure:	Not determined.	
· Density at 20 °C:	1.07529 g/cm³	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol	/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	2.6 %	
Water:	0.7 %	
VOC content:	2.58 %	
Solids content:	96.9 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

101-68-8 4,4'-methylenediphenyl diisocyanate

Oral LD50 2,200 mg/kg (mouse)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

(Contd. on page 7)

SEM

Printing date 03/21/2018 Reviewed on 06/20/2017

Trade name: 39352,39357 Flexible Urethane Foam

(Contd. of page 6)

· Carcinogenic categories

· IARC (Inte	· IARC (International Agency for Research on Cancer)		
9016-87-9	diphenylmethanediisocyanate,isomeres and homologues	3	
101-68-8	4,4'-methylenediphenyl diisocyanate	3	
1333-86-4	Carbon black	2 <i>B</i>	
· NTP (National Toxicology Program)			

12 Ecological information

None of the ingredients is listed.

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

Ivanc	nort II	itarma	
		iforma	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

· UN-Number · DOT, TDG, ADN, IMDG, IATA	Void
· UN proper shipping name	

· DOT, TDG, ADN, IMDG, IATA Void

- · Transport hazard class(es)
- · DOT, TDG, ADN, IMDG, IATA
- · Class Void

(Contd. on page 8)

Trade name: 39352,39357 Flexible Urethane Foam

		(Contd. of page
· Packing group · DOT, TDG, IMDG, IATA	Void	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	Void	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

- · Section 313 (Specific toxic chemical listings):
- 9016-87-9 diphenylmethanediisocyanate,isomeres and homologues

101-68-8 4,4'-methylenediphenyl diisocyanate

- · TSCA (Toxic Substances Control Act):
- 52624-57-4 POLYETHER POLYOL
- 53862-89-8 POLYMERIC MDI
- 9016-87-9 diphenylmethanediisocyanate,isomeres and homologues
- 9049-71-2 POLYETHER POLYOL
 - 101-68-8 4,4'-methylenediphenyl diisocyanate
- 25265-71-8 oxydipropanol
 - 77-58-7 dibutyltin dilaurate
- 67762-90-7 FUMED SILICA
- 1333-86-4 Carbon black
- 280-57-9 triethylenediamine
- 149-57-5 2-ethylhexanoic acid
- 7732-18-5 water
- · Canadian substance listings:

	· Canadian Domestic Substances List (DSL)	
	POLYETHER POLYOL	
53862-89-8	POLYMERIC MDI	
	diphenylmethanediisocyanate,isomeres and homologues	
9049-71-2	POLYETHER POLYOL	
101-68-8	4,4'-methylenediphenyl diisocyanate	
	oxydipropanol	
	dibutyltin dilaurate	
67762-90-7	FUMED SILICA	

(Contd. on page 9)



Trade name: 39352,39357 Flexible Urethane Foam

(Contd. of page 8) 1333-86-4 Carbon black 280-57-9 triethylenediamine 149-57-5 2-ethylhexanoic acid 7732-18-5 water

· Canadian Ingredient Disclosure list (limit 0.1%)

101-68-8 4,4'-methylenediphenyl diisocyanate

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

POLYMERIC MDI

diphenylmethanediisocyanate, isomeres and homologues

4,4'-methylenediphenyl diisocyanate

POLYETHER POLYOL

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

P314

P362+P364

P333+P313

•	Precautionary state	ements ements
	P201	Obtain special instructions before use.
	P202	Do not handle until all safety precautions have been read and understood.
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P264	Wash thoroughly after handling.
	P271	Use only outdoors or in a well-ventilated area.
	P272	Contaminated work clothing should not be allowed out of the workplace.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P284	[In case of inadequate ventilation] wear respiratory protection.
	P302+P352	If on skin: Wash with plenty of water.
	P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
		present and easy to do. Continue rinsing.
	P308+P313	IF exposed or concerned: Get medical advice/attention.
	P312	Call a poison center/doctor if you feel unwell.
	P321	Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 10)



Trade name: 39352,39357 Flexible Urethane Foam

(Contd. of page 9)

P337+P313 If eye irritation persists: Get medical advice/attention.

P342+P311 If experiencing respiratory symptoms: Call a poison center/doctor. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Rita Joiner (rjoiner@semproducts.com)
- · Date of preparation / last revision 03/21/2018 / 7
- · Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

* * Data compared to the previous version altered.

CA