1 Identification

- · Product identifier
- · Trade name: 39907 Non-Sag Fast Set Adhesive
- · Article number: 39907
- · Application of the substance / the mixture Adhesives
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SEM Products Inc. 1685 Overview Drive Rock Hill, SC 29730

803 207 8225

· Information department:

cust_care@semproducts.com : SEM Products,Inc. 1685 Overview Dr. Rock Hill, SC 29730 : phone 1-800-831-1122, M - TH 7am - 4pm EDT

· Emergency telephone number: CHEMTREC 1-800-424-9300

2 Hazard identification

· Classification of the substance or mixture



GHS07

Acute Toxicity (Oral) - Category 4 H302 Harmful if swallowed.

Skin Irritation - Category 2 H315 Causes skin irritation.

Eye Irritation - Category 2A H319 Causes serious eye irritation.

Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

bisphenolA(chloro)oxirane polymer

Mercapan resin

N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)

2,4,6-tris(dimethylaminomethyl)phenol

1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane

CASTOR OIL GLYCIDAL ETHER

· Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 2)

Trade name: 39907 Non-Sag Fast Set Adhesive

(Contd. of page 1)

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray. P261

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P337+P313 *If eye irritation persists: Get medical advice/attention.*

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2Fire = 1Reactivity = 1

· HMIS-ratings (scale 0 - 4)



2 Health = 2 Fire = 1

3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Mixture: consisting of the following components.

Weight percentages

· Dangerous	· Dangerous components:		
25068-38-6	bisphenolA(chloro)oxirane polymer	15-40% w/w	
	Epoxy Resin	1-5% w/w	
	Mercapan resin	1-5% w/w	
67762-90-7	FUMED SILICA	1-5% w/w	
	Modified diglycidal ether	1-5% w/w	
	2,4,6-tris(dimethylaminomethyl)phenol	≥1-<5% w/w	
3033-62-3	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	1-5% w/w	
	1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane	≥1-<1.5% w/w	
74398-71-3	CASTOR OIL GLYCIDAL ETHER	≥0.1-<1% w/w	

(Contd. on page 3)

Trade name: 39907 Non-Sag Fast Set Adhesive

(Contd. of page 2)

4 First aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

Trade name: 39907 Non-Sag Fast Set Adhesive

(Contd. of page 3)

 \cdot *Specific end use*(s) *No further relevant information available.*

8 Exposure controls/Personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

3033-62-3 N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)

EL Short-term value: 0.15 ppm Long-term value: 0.05 ppm

Skin

EV Short-term value: 0.15 ppm Long-term value: 0.05 ppm

Skin

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

CA

Trade name: 39907 Non-Sag Fast Set Adhesive

(Contd. of page 4)

α \mathbf{n}_1		7 • 1	
UPhysica	anda	homical	properties
		14 A SA 4 4 A A A BA C A A	
10) 50000			proportion

· Information on	hasic	nhysical	and c	hemical	nronerties
Injoinanon on	vusic	pnysicui	unu c	nemicui	properties

· General Information

· Appearance:

Form: Liquid

According to product specification Color:

Characteristic · Odor: · Odor threshold: Not determined.

Not determined. · pH-value:

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: 115 °C

94 °C · Flash point:

· Flammability (solid, gaseous): Not applicable.

· Decomposition temperature: Not determined.

Product is not selfigniting. · Auto igniting:

· Danger of explosion: Product does not present an explosion hazard.

In use, may form flammable/explosive vapour-air mixture.

· Explosion limits:

Lower: Not determined. Not determined. Upper:

· Vapor pressure: Not determined.

· Density at 20 °C: 1.22051 g/cm³ · Relative density Not determined. · Vapor density Not determined. · Evaporation rate Not determined.

· Solubility in / Miscibility with

Not miscible or difficult to mix. Water:

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. Kinematic: Not determined.

· Solvent content:

0.0 % Organic solvents: Water: 0.1 % 0.00 % **VOC** content: 98.9 % Solids content:

· Other information No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

(Contd. on page 6)

Trade name: 39907 Non-Sag Fast Set Adhesive

(Contd. of page 5)

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)			
1333-86-4	Carbon black	2B	
	Quartz (SiO2)	1	
64-17-5	ethanol	1	
· NTP (Nation	· NTP (National Toxicology Program)		
14808-60-7	Quartz (SiO2)	K	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

CA



Trade name: 39907 Non-Sag Fast Set Adhesive

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT	Void
TDG, IMDG, IATA	UN3082
UN proper shipping name	
DOT	Void
· TDG	3082 Environmentally hazardous substances, liquid, n.o.s.
· IMDG, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S.
Transport hazard class(es)	
DOT	
Class	Void
· Class	9 Miscellaneous dangerous substances and articles 9
Packing group	Void
Packing group	Void III
Packing group DOT	III
Packing group DOT TDG, IMDG, IATA	III Product contains environmentally hazardous substance bisphenolA(chloro)oxirane polymer No
Packing group DOT TDG, IMDG, IATA Environmental hazards: Marine pollutant:	III Product contains environmentally hazardous substance bisphenolA(chloro)oxirane polymer No Symbol (fish and tree)
Packing group DOT TDG, IMDG, IATA Environmental hazards: Marine pollutant: Special marking (TDG):	III Product contains environmentally hazardous substance bisphenolA(chloro)oxirane polymer No Symbol (fish and tree) Symbol (fish and tree)
Packing group DOT TDG, IMDG, IATA Environmental hazards: Marine pollutant: Special marking (TDG): Special marking (IATA):	III Product contains environmentally hazardous substance bisphenolA(chloro)oxirane polymer No Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
Packing group DOT TDG, IMDG, IATA Environmental hazards: Marine pollutant: Special marking (TDG):	III Product contains environmentally hazardous substance bisphenolA(chloro)oxirane polymer No Symbol (fish and tree) Symbol (fish and tree)

(Contd. on page 8)



Trade name: 39907 Non-Sag Fast Set Adhesive

· Transport/Additional information:	(Contd. of page
· TDG	
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
• • • • •	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S., 9, III

4 # TO 1		C
15 Regul	atory in	formation

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Section 355	(extremely hazardous substances):
None of the	ingredient is listed.
Section 313	(Specific toxic chemical listings):
68909-14-8	Modified diglycidal ether
107-21-1	ethanediol
67-56-1	methanol
TSCA (Toxi	c Substances Control Act):
25068-38-6	bisphenolA(chloro)oxirane polymer
1317-65-3	GROUND CALCIUM CARBONATE
26142-30-3	Epoxy Resin
88375-39-7	Mercapan resin
67762-90-7	FUMED SILICA
68909-14-8	Modified diglycidal ether
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol
3033-62-3	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)
17557-23-2	1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane
6674-22-2	1,8-diazabicyclo[5.4.0]undec-7-ene
74398-71-3	CASTOR OIL GLYCIDAL ETHER
107-21-1	ethanediol
919-30-2	3-aminopropyltriethoxysilane
2530-83-8	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane
1333-86-4	Carbon black
14808-60-7	Quartz (SiO2)
64-17-5	ethanol
67-56-1	methanol

- CA

Trade name: 39907 Non-Sag Fast Set Adhesive

	(Contd. of page 8
7732-18-5	
	ubstance listings:
· Canadian D	Oomestic Substances List (DSL)
25068-38-6	bisphenolA(chloro)oxirane polymer
26142-30-3	Epoxy Resin
67762-90-7	FUMED SILICA
68909-14-8	Modified diglycidal ether
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol
3033-62-3	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)
17557-23-2	1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane
6674-22-2	1,8-diazabicyclo[5.4.0]undec-7-ene
74398-71-3	CASTOR OIL GLYCIDAL ETHER
107-21-1	ethanediol
919-30-2	3-aminopropyltriethoxysilane
2530-83-8	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane
1333-86-4	Carbon black
14808-60-7	Quartz (SiO2)
64-17-5	ethanol
67-56-1	methanol
7732-18-5	water
· Canadian I	ngredient Disclosure list (limit 0.1%)
None of the	ingredients is listed.
Canadian I	ngredient Disclosure list (limit 1%)
M C 41	to and the state to the to I

- None of the ingredients is listed.
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

 $bisphenol A(chloro) oxirane\ polymer$

Mercapan resin

N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)

2,4,6-tris(*dimethylaminomethyl*)*phenol*

1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane

CASTOR OIL GLYCIDAL ETHER

· Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 10)

Trade name: 39907 Non-Sag Fast Set Adhesive

(Contd. of page 9)

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Rita Joiner (rjoiner@semproducts.com)
- · Date of preparation / last revision 03/21/2018 / 8
- · Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

 ${\it HMIS: Hazardous\ Materials\ Identification\ System\ (USA)}$

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

* * Data compared to the previous version altered.

CA -